



भारतीय प्रौद्योगिकी
संस्थान जम्मू
INDIAN INSTITUTE OF
TECHNOLOGY JAMMU

विद्यया सर्वधनं प्रधानम्

INDIAN INSTITUTE OF TECHNOLOGY JAMMU

Department of Civil Engineering

Jagti, NH44, PO Nagrota, Jammu (J&K) 181221

Shortlisting Criteria for M.Tech Admission in the specialization of Tunnel

Engineering

The shortlisting criteria M.Tech. admission in the specialization of Tunnel Engineering, Civil Engineering Department for the session 2023-24 are as follow:

1. For the General category candidates, a minimum of 75% marks in aggregate/equivalent CGPA in B.E/B.Tech./AMIE in Civil Engineering.
2. For SC/ST/OBC-NCL/EWS/PwD candidates, relaxation of 5% marks in aggregate or equivalent CGPA of the above criterion is used.
3. The candidate must have a valid GATE scorecard with GATE paper code CE.
4. A minimum GATE score of 300 for GEN/OBC-NCL/EWS/PwD candidates and GATE score 200 for SC/ST candidates is used.

The applications received for M.Tech. admission in the specialization of Tunnel Engineering, Department of Civil Engineering for the session 2023-24 are shortlisted as per the short-listing criteria above. The list of shortlisted and not shortlisted candidates are as follows:

Application No	Status
23P00TE101241	Shortlisted
23PSTTE100139	Shortlisted
23PSTTE100176	Shortlisted
23PSTTE100293	Shortlisted
23PSTTE100382	Shortlisted
23PSTTE100760	Shortlisted
23PSTTE100844	Shortlisted
23PSTTE100930	Shortlisted
23PSTTE101010	Shortlisted
23PSTTE101036	Shortlisted
23PSTTE101094	Shortlisted
23PSTTE101126	Shortlisted
23PSTTE101429	Shortlisted
23PSTTE101578	Shortlisted
23PSTTE101678	Shortlisted
23PSTTE101711	Shortlisted
23PSTTE101719	Shortlisted
23PSTTE101761	Shortlisted
23PSTTE101773	Shortlisted
23P00TE100218	Shortlisted
23P00TE100377	Shortlisted
23P00TE100750	Shortlisted

23P00TE101345	Shortlisted
23P00TE101624	Shortlisted
23PSTTE100004	Shortlisted
23PSTTE100052	Shortlisted
23PSTTE100076	Shortlisted
23PSTTE100095	Shortlisted
23PSTTE100134	Shortlisted
23PSTTE100143	Shortlisted
23PSTTE100156	Shortlisted
23PSTTE100194	Shortlisted
23PSTTE100223	Shortlisted
23PSTTE100267	Shortlisted
23PSTTE100348	Shortlisted
23PSTTE100443	Shortlisted
23PSTTE100449	Shortlisted
23PSTTE100451	Shortlisted
23PSTTE100460	Shortlisted
23PSTTE100467	Shortlisted
23PSTTE100481	Shortlisted
23PSTTE100531	Shortlisted
23PSTTE100532	Shortlisted
23PSTTE100546	Shortlisted
23PSTTE100559	Shortlisted
23PSTTE100571	Shortlisted
23PSTTE100587	Shortlisted
23PSTTE100723	Shortlisted
23PSTTE100736	Shortlisted
23PSTTE100768	Shortlisted
23PSTTE100812	Shortlisted
23PSTTE100835	Shortlisted
23PSTTE100884	Shortlisted
23PSTTE100927	Shortlisted
23PSTTE101073	Shortlisted
23PSTTE101113	Shortlisted
23PSTTE101163	Shortlisted
23PSTTE101171	Shortlisted
23PSTTE101240	Shortlisted
23PSTTE101363	Shortlisted
23PSTTE101462	Shortlisted
23PSTTE101477	Shortlisted
23PSTTE101494	Shortlisted
23PSTTE101548	Shortlisted
23PSTTE101658	Shortlisted
23PSTTE101756	Shortlisted
23P00TE100527	Shortlisted
23P00TE100582	Shortlisted
23P00TE100732	Shortlisted

23P00TE101093	Shortlisted
23P00TE101264	Shortlisted
23PSETE100708	Shortlisted
23PSTTE100019	Shortlisted
23PSTTE100105	Shortlisted
23PSTTE100161	Shortlisted
23PSTTE100190	Shortlisted
23PSTTE100286	Shortlisted
23PSTTE100423	Shortlisted
23PSTTE100462	Shortlisted
23PSTTE100495	Shortlisted
23PSTTE100500	Shortlisted
23PSTTE100547	Shortlisted
23PSTTE100554	Shortlisted
23PSTTE100608	Shortlisted
23PSTTE100610	Shortlisted
23PSTTE100633	Shortlisted
23PSTTE100642	Shortlisted
23PSTTE100644	Shortlisted
23PSTTE100658	Shortlisted
23PSTTE100663	Shortlisted
23PSTTE100711	Shortlisted
23PSTTE100740	Shortlisted
23PSTTE100773	Shortlisted
23PSTTE100830	Shortlisted
23PSTTE100897	Shortlisted
23PSTTE100909	Shortlisted
23PSTTE100945	Shortlisted
23PSTTE100993	Shortlisted
23PSTTE101052	Shortlisted
23PSTTE101054	Shortlisted
23PSTTE101069	Shortlisted
23PSTTE101078	Shortlisted
23PSTTE101112	Shortlisted
23PSTTE101129	Shortlisted
23PSTTE101167	Shortlisted
23PSTTE101174	Shortlisted
23PSTTE101307	Shortlisted
23PSTTE101325	Shortlisted
23PSTTE101397	Shortlisted
23PSTTE101447	Shortlisted
23PSTTE101518	Shortlisted
23PSTTE101574	Shortlisted
23PSTTE101576	Shortlisted
23PSTTE101636	Shortlisted
23PTHTE100785	Shortlisted
23P00TE100122	Shortlisted

23PSETE101235	Shortlisted
23PSTTE100012	Shortlisted
23PSTTE100025	Shortlisted
23PSTTE100031	Shortlisted
23PSTTE100202	Shortlisted
23PSTTE100219	Shortlisted
23PSTTE100226	Shortlisted
23PSTTE100265	Shortlisted
23PSTTE100422	Shortlisted
23PSTTE100442	Shortlisted
23PSTTE100482	Shortlisted
23PSTTE100486	Shortlisted
23PSTTE100516	Shortlisted
23PSTTE100630	Shortlisted
23PSTTE100685	Shortlisted
23PSTTE100714	Shortlisted
23PSTTE100833	Shortlisted
23PSTTE100845	Shortlisted
23PSTTE100948	Shortlisted
23PSTTE101079	Shortlisted
23PSTTE101260	Shortlisted
23PSTTE101296	Shortlisted
23PSTTE101318	Shortlisted
23PSTTE101331	Shortlisted
23PSTTE101408	Shortlisted
23PSTTE101471	Shortlisted
23PSTTE101580	Shortlisted
23P00TE101523	Shortlisted
23PSTTE100291	Shortlisted
23PSTTE100326	Shortlisted
23PSTTE100656	Shortlisted
23PSTTE101205	Shortlisted
23PSTTE101595	Shortlisted
23P00TE100059	Not Shortlisted
23P00TE101684	Not Shortlisted
23PSTTE100505	Not Shortlisted
23PSTTE101625	Not Shortlisted
23PSTTE101741	Not Shortlisted
23PCRTE100690	Not Shortlisted
23PSETE100899	Not Shortlisted
23PSTTE100014	Not Shortlisted
23PSTTE100015	Not Shortlisted
23PSTTE100244	Not Shortlisted
23PSTTE100391	Not Shortlisted
23PSTTE100396	Not Shortlisted
23PSTTE100397	Not Shortlisted
23PSTTE100413	Not Shortlisted

23PSTTE100502	Not Shortlisted
23PSTTE100523	Not Shortlisted
23PSTTE100744	Not Shortlisted
23PSTTE100799	Not Shortlisted
23PSTTE100832	Not Shortlisted
23PSTTE100934	Not Shortlisted
23PSTTE100968	Not Shortlisted
23PSTTE101004	Not Shortlisted
23PSTTE101066	Not Shortlisted
23PSTTE101245	Not Shortlisted
23PSTTE101681	Not Shortlisted
23PTHTE100823	Not Shortlisted
23P00TE100802	Not Shortlisted
23P00TE101336	Not Shortlisted
23PSTTE100035	Not Shortlisted
23PSTTE100616	Not Shortlisted
23PSTTE100691	Not Shortlisted
23PSTTE100793	Not Shortlisted
23PSTTE101155	Not Shortlisted
23PSTTE101422	Not Shortlisted
23PTHTE101653	Not Shortlisted
23PSTTE100230	Not Shortlisted
23PSTTE100240	Not Shortlisted
23PSTTE100295	Not Shortlisted
23PSTTE101124	Not Shortlisted
23PSTTE101294	Not Shortlisted
23PSTTE101389	Not Shortlisted
23PSTTE101528	Not Shortlisted
23PTHTE101224	Not Shortlisted
23PSTTE100210	Not Shortlisted
23PSTTE100355	Not Shortlisted
23PSTTE100686	Not Shortlisted
23PSTTE100715	Not Shortlisted
23PSTTE101692	Not Shortlisted

If a candidate feels that his/her application number is not listed in the shortlisted list, then the applicant can send an email through his/her registered email id (the email id used while filling the application form) to Civil Engineering Department at dpgc.ce@iitjammu.ac.in latest by 5.00 PM on 30th April 2023.

The subject of the email should be: “Representation for M.Tech Admission in Tunnel Engineering, 2023 with <application number>”